Annual Index

Vol. IV: No. 1, February; No. 2, April; No. 3, June; No. 4, August; No. 5, October; No. 6, December, 1954
JOURNAL of the Forest Products Research Society

A

Abrasives, Machining Wood with Coated; Edward W. Hinken and Norman C. Franz ----------No. 5, p. 251
Adhesives, Boil Resistance of Blended Urea-Melamine Wood; S. E. Kozdemba and S. H. Rider ----------No. 5, p. 283
Adhesives, Gluing Pressure Treated Wood with Resorcinal Type; Richard E. Gardner and W. T. Henry ----------No.5, p. 300
ALLEGRETTI, JOSEPH J.: Masonite's Place in the Competitive Picture ----------No. 2, p. 27-A
America's Demand for Wood—1929–1975; Stanford Research Institute Report ----No. 5, p. 181
ANDERSON, B. G.: Sticker Stain and Board Color in One-Inch Red Alder Lumber -----No. 3, p. 133
APPLEFIELD, MILTON: Economic Considerations for a Successful Utilization of Sawmill Wood Residue -----No. 4, p. 11-A
Arabogalactan from Western Larch Wood; G. T. Austin-No. 1, p. 7
AUSTIN, GEORGE T.: Arabogalactan from Western Larch Wood ----------No. 1, p. 7
Australia, Division of Forest Products—Commonwealth Scientific and Industrial Research Organization ----------No. 3, p. 22-A
Austrian Forest Products Lab.; G. M. Hunt ------No. 1, p. 11-A

B

BAECHLER, R. H.: Wood in Chemical Engineering Construction ----------No. 5, p. 332
BALL, D. A.: U. S. Navy Uses of Wood at Puget Sound Naval Shipyard ----------No. 5, p. 100
BALSTER, WILMER J.: Testing Furniture Packs to Insure Good Delivery ----------No. 5, p. 200
Bamboo; G. M. Hunt --No. 3, p. 24-A
BEHM, R. D.: Marketing Hardwood Plywood ----------No. 2, p. 17-A
BEIGER, CHARLES: Remarks as Moderator of Panel Session (Wood Meets Competition)-No. 2, p. 30-A
BERRY, FOSTER W.: Production Gluing of High Strength Joints ----------No. 5, p. 303
BETHEL, JAMES S.: North Carolina Wood Products Laboratory ----------No. 2, p. 81
Dimensions and Tolerances for Machined Furniture Parts ----------No. 5, p. 365
BLOMQUIST, R. F.: Evaluation of Glues and Glued Products ----------No. 5, p. 290
BLUM, S. E.: Toxicity of $\beta\beta^1$–Oxydipropionitrile Soluble and Insoluble Fractions of Creosote and Petroleum Oils to Wood-Destroying Fungi by the Soil-Block Method ----No. 3, p. 123
BLUMENSTEIN, ROBERT R.: Evaluation of Floor Finishes ----------No. 5, p. 356
Boards Made of Wood Strands and Inorganic Binders; A. Elmendorf ----------No. 2, p. 87
BODINE, LEO V.: Lumber Outlook for 1955 ----------No. 6, p. 13-A
BORCHGREVINK, GORDON: Product and Process Variables Related to the Effect of Moisture on Hardboard --------No. 3, p. 142
BROWN, FREDERICK L.: Absorption, Penetration of Oil-Soluble Wood Preservatives in Dip Treatments — A Summary of Progress ----------No. 2, p. 101
BROWN, GORDON E.: Water Resistant Dowel Glue ---No. 4, p. 42-A
BROWN, HYLTON R.: Dust-Hazard Control in Woodworking Plants ----------No. 1, p. 65
BROWN, K: R.: Factors to be Considered in Force Drying Wood Finishes ----------No. 5, p. 339
BROWNE, FREDERICK L.: Tests of Some Superficial Treatments of Exposed Wood Surfaces for their Protection Against Fungus Attack --------No. 3, p. 131
Swelling of Paint Films in Water. II: Absorption and Volumetric Swelling of Bound and Free Films Before and After Weathering ----------No. 6, p. 391
BRUCE, H. D.: Japanese Forest Products Laboratory -No. 2, p. 37-A
BRYANT, BEN S.: Some factors Affecting the Glue Bond Quality of Hard-Grained Douglas Fir Plywood ------No. 4, p. 158
Reducing the High Cost of Information by Using the Statistical Approach to Research ----------No. 5, p. 322
BURCH, J. E.: Toxicity of β, β^1–Oxydipropionitrile Soluble and Insoluble Fractions of Creosote and Petroleum Oils to Wood-Destroying Fungi by the Soil-Block Method -----No. 3, p. 123
BUTLER, JOHN L.: Survey of Grades in the Hardwood Plywood Industry ----------No. 5, p. 370

C

CAMPBELL, RICHARD L.: Loading and Unloading of Multiple Opening Hot Presses-No. 1, p. 58
Canadian Standard Specifications and the National Building Code; William Thornber ----------No. 5, p. 326
CAREY, CHARLES M.: Gluing of Furniture Parts ----No. 6, p. 19-A
CARR, L. J.: Future of the Forest Industry ----------No. 4, p. 36-A
Case-hardening Stresses, Effect of Time, Temperature and Relative Humidity on the Relief of; John W. Churchill -No. 5, p. 264
CHAMPION, F. J.: U. S. Forest Products Laboratory -No. 4, p. 153
Changes in Weight and Strength of Sitka Spruce Associate with Decay by a Brown-Rot Fungus, Poria monticola; Jack R. Mulholland ----------No. 6, p. 410
Chemical Composition of Gum Turpentines of Pines of the U. S. and Canada; N. T. Mirov ----------No. 1, p. 1
Chemical Engineering Construction, Wood in; R. H. Baechler ----------No. 5, p. 332
Chemical Utilization and Forest Management; E. G. Locke ----------No. 1, p. 10
Chipcore, Extruded Resin-Bonded Wood-Particle Board; John M. Crafton ----------No. 5, p. 231
Chip Procurement Possibilities; M. M. Lehrbas ----No. 4, p. 24-A
Chip Requirements from the Pulp Mills' Standpoint; Ian P. Sim ----------No. 4, p. 22-A
CHURCHILL, JOHN W.: Effect of Time, Temperature and Relative Humidity on the Relief of Case-hardening Stresses ----------No. 5, p. 264
CLARK, LAWRENCE E.: High Frequency Gluing of Wood—What Glue Should I Use? ----------No. 2, p. 34-A
CLARK, P. M.: Graining as an Aid to Competition ----No. 3, p. 14-A
CLARKE, STANLEY A.: Division of Forest Products—Commonwealth Scientific and Industrial Research Organization — Australia ----------No. 3, p. 22-A
CLOSE, CHARLES: Present and Competitive Items in Hardwood Plywoods ----------No. 2, p. 31-A
COLEMAN, EDWARD: How Filmwood Fits into the Wood Industry Picture -----No. 3, p. 13-A
COLLEY, REGINALD H.: Correlating Evaluation Tests of Wood Preservatives ----------No. 1, p. 43
CONNELLY, T. J.: How to Get a Bigger Bite of the "Consumer Buck" ----------No. 2, p. 9-A
What are Forest Products ----------No. 2, p. 28-A
Corrosion Experiences with Humidifier Equipment; Armin A. Wehrle ----------No. 3, p. 145
COTE, WILFRED A., JR.: Wood Machining Research with High Speed Motion Pictures ----------No. 5, p. 246
CRAFTON, JOHN M.: Extruded Resin-Bonded Wood-Particle Board ----------No. 5, p. 231
CREDEN, P. H. W.: What We Need—More Product Development ----------No. 1, p. 9-A
Promotion and Research—Successful Marriage ---No. 5, p. 336
Creosotes, Observations on a Possible Method of Predicting Soil-Block Bioassay Thresholds by Distillation Characteristics of the Weathered; L. R. Snoke ----------No. 2, p. 111

D

DARWIN, W. N.: Tree Size and Sawmill Profits ----No. 2, p. 96
DAVIS, E. M.: Machining Tests of Wood with the Molder ----------No. 5, p. 237
DAVIS, VIRGIL C.: Steam Consumption in the Kiln Drying of Western Softwoods -No. 5, p. 258
Drying, High-Temperature: Its Application to the Drying of Lumber; James S. Mathewson ----------No. 5, p. 276
Dry Kilns, Improving the Thermal Efficiency of; Robert J. Hoyle, Jr. ----------No. 5, p. 225

Dust-Hazard Control in Woodworking Plants; H. R. Brown ----------No. 1, p. 65

E

Effect of Rays on the Differential Shrinkage of Red Oak; Charles R. Morschauser ----No. 5, p. 280
ELMENDORF, ARMIN: Fire-resistant Boards Made of Wood Strands and Innorganic Binders ----------No. 2, p. 87
ELY, HAROLD M.: Experiments on an Accelerated Method for Determining Water Absorption of Hardboard --------No. 2, p. 85
ENGLAND, ROLLO F.: Cyclical Exposure Test as a Tool in Laminating Quality Control ----------No. 1, p. 61
ESTEP, MAX H.: Use of Urea Resin Glues in Radio Frequency Lumber Edge Gluing ---No. 3, p. 138

F

FARLEY, EUGENE D.: Keeping Laboratory Records for Patent Purposes ----------No. 1, p. 20
FELDMAN, EDWARD S.: Liability of Manufacturers in Forest Products Industries for Harm Done by the Product -----No. 5, p. 315
FENSOM, K. G.: Furniture Industry in British Columbia -No. 6, p. 27-A
Fiber Saturation Point of Wood by Centrifuging; E. Perem ----------No. 2, p. 77
Filmwood Fits into the Wood Industry Picture, How; Edward Coleman ----------No. 3, p. 13-A
Finishes for Exteriors of House; Natural Wood; Don F. Laughnan ----------No. 5, p. 343
Finishes, Floor, Evaluation of; Robert R. Blumenstein --No. 5, p. 356
Finishes, Wood Can Meet Competition through Better; Muir Rogers ----------No. 3, p. 16-A
Finishes, (Wood) Factors to be Considered in Force Drying; K. R. Brown ------No. 5, p. 339
Finishes, Wood, Ovens for Drying; Wallace Herdlein --No. 5, p. 358
Finishing Materials for Woodwork, Testing of; Donald G. Lubeck ----------No. 5, p. 346
Finland, Forest Products Research in; J. Vöry --------No. 6, p. 32-A
FLEISCHER, HERBERT O.: Shrinkage and the Development of Defects in Veneer Drying ----------No. 1, p. 30
Flush Door Design on Door Plant Layout, Influence of; R. B. Fulton ----------No. 3, p. 11-A
FOBES, E. W.: Liberian Forest Products Industries—Dark Past, Bright Future ------No. 6, p. 31-A
FOGH, I. F.: Impressions of Scandinavian Wood Using Industries ----------No. 3, p. 19-A
Forest Industry, Future of the; L. J. Carr ----------No. 4, p. 36-A
Forest Products, Minor; G. Hunt ----------No. 2, p. 111
FPRS 1954 Annual Business Meeting, Report of -----No. 5, p. 29-A
FPRS Eighth National Annual Meeting ----------No. 5, p. 15-A
FPRS Officers and Committees ----------No. 5, p. 65-A
FPRS Subject Matter Committee Reports, 1954 --------No. 5, p. 37-A
FRANZ, NORMAN C.: Machining Wood with Coated Abrasives ----------No. 5, p. 251
FRASHOUR, R. G.: Sticker Stain and Board Color in One-Inch Red Alder Lumber ----No. 3, p. 133
FULLER, R. BUCKMINSTER: Designing with Glued Wood Construction ----------No. 5, p. 313
FULTON, R. B.: Influence of Flush Door Design on Door Plant Layout ----------No. 3, p. 11-A
Furniture Industry in British Columbia; K. G. Fensom ----------No. 6, p. 27-A
Furniture Packaging, Requirements for; Jack L. Ware --No. 5, p. 198
Furniture Packs to Insure Good Delivery, Testing; Wilmer J. Balster ----------No. 5, p. 200
Furniture Parts, Dimensions and Tolerances for Machined; James S. Bethel and Robert J. Hader ----------No. 5, p. 365
Furniture Shipments, Recurrent Damage in; R. E. L. Harmon ----------No. 5, p. 196

G

GARDNER, RICHARD E.: Gluing Pressure Treated Wood with Resorcinal Type Adhesives ----------No. 5, p. 300
Glue Bond Quality of Hard-Grained Douglas Fir Plywood, Some Factors Affecting the; B. S. Bryant, R. K. Stensrud ----------No. 4, p. 158
Glue, Water Resistant Dowel; G. E. Brown ----------No. 4, p. 42-A
Glued Wood Construction, Designing with, R. Buckminster Fuller ----------No. 5, p. 313
Glues and Glued Products, Evaluation of; R. F. Blomquist ----------No. 5, p. 290
Glues for Woodworking, Advances in Polyvinyl Acetate; P. H. McCormack -------No. 5. p. 287
Gluing of Furniture Parts; Charles M. Carey ---------No. 6. p. 19-A
Gluing Hardboard with Protein Adhesives; James L. Zeigler and Glenn J. Halme ----No. 6. p. 422
Gluing of High Strength Joints, Production; Foster W. Berry ----------No. 5, p. 303
Gluing Processes, Effects of Moisture Content and Machining of Wood on R. F.; J. M. Yavorsky ----------No. 1, p. 36
Gluing, Use of Urea Resin Glues in Radio Frequency Lumber Edge; Max H. Estep ----No. 3, p. 138
GRAHAM, ROBERT D.: Seasoning and Preservative Treatment of Tanoak ----------No. 2, p. 92
Pressure Treatment of Western Larch Pole Sections with Pentachlorophenol Solutions ----------No. 3, p. 126
Preservative Treatment of Douglas-Fir post Sections Infected with Trichoderma Mold ----------No. 4, p. 164
Grain in Engineered Wood, Slope of; Nicholas V. Poletika ----------No. 6, p. 401
Graining as an Aid to Competition; P. M. Clark --No. 3, p. 14-A
GRANO, JOSEPH JR.: Manufacture of Molded Articles from Resin Bonded Granulated Wood ----------No. 5, p. 227
GRANTHAM, JOHN B.: Oregon Forest Products Laboratory ----------No. 1, p. 14
Great Britain, Forest Products Research Laboratory of; F. Y. Henderson --------No. 2, p. 35-A
GREEN, BURDETTE: Wide Acceptance of Wood—A Resume ----------No. 2, p. 31-A

H

HABIG, ARNOLD F.: Status of Wood in Radio and TV Industry and Cabinet Field: Competition from Wood Substitutes ----------No. 2, p. 22-A
HADER, ROBERT J.: Dimensions and Tolerances for Machined Furniture Parts -------No. 5, p. 365
HALME, GLENN J.: Gluing Hardboard with Protein Adhesives ----------No. 6, p. 422
Hardboard, Experiments on an Accelerated Method for Determining Water Absorption of; H. M. Ely --------No. 2, p. 85
Hardboard, Manufacture of General-Purpose and Decorative Pressed Wood Boards by a Dry Process; Arthur L. Mottet ----------No. 5, p. 224
Hardboard, Product and Process Variables Related to the Effect of Moisture on; Gordon Borchgrevink ----------No. 3, p. 142
Hardboard, Sealers for Finish Coats; J. H. Syme --------No. 2. p. 84
Hardboard Values, Effect of Operating Variables on; Clark M. Keaton ----------No. 3, p. 146
HARMON, R. E. L.: Recurrent Damage in Furniture Shipments ----------No. 5, p. 196
HATTORI, MORIKAZU: Wood Preservation in Japan ---No. 4, p. 46-A
HEEBINK, BRUCE G.: Dimensional Stabilizing Effect of Paper Overlays When Applied to Lumber ----------No. 3, p. 149
HEIKS, R. E.: Toxicity of β, β^1–Oxydipropionitrile Soluble and Insoluble Fractions of Creosote and Petroleum Oils to Wood-Destroying Fungi by the Soil-Block Method ------No. 3, p. 123
HEINRICHS, J. FRANK: Rapid Specific Gravity Determinations ----------No. 1, p. 68
HENDERSON, F. Y.: Forest Products Research Laboratory of Great Britain ----------No. 2, p. 35-A
HENRY, W. T.: Gluing Pressure Treated Wood with Resorcinal Type Adhesives ----No. 5, p. 300
HERDLEIN, WALLACE: Ovens for Drying Wood Finishes ----------No. 5, p. 358
HERITAGE, C. C.: Our Responsibilities for Wood's Future ----------No. 6, p. 379
High Frequency Gluing, Economics of; S. W. Tamminga ----------No. 4, p. 45-A
High Frequency Gluing, Some Fundamentals of; Julius W. Mann ----------No. 6, p. 16-A
High Frequency Gluing of Wood—What Glue Should I Use? L. E. Clark ----------No. 2, p. 34-A
HINKEN, EDWARD W.: Machining Wood with Coated Abrasives ----------No. 5, p. 251
HOLEKAMP, J. A.: Developments in Sawmill Waste Utilization Equipment --------No. 4, p. 18-A
HOOKER, LELAND W.: A Report on Developments in Logging ----------No. 4, p. 27-A
HOYLE, ROBERT J., JR.: Wood Machining Research with High Speed Motion Pictures ----------No. 5, p. 246
Improving the Thermal Efficiency of Dry Kilns ------No. 5, p. 255

HUNT, GEORGE M.: Austrian Forest Products Lab. ------No. 1, p. 11-A
Minor Forest Products -No. 2, p. 114
Bamboo ----------No. 3, p. 24-A
Sawmill Workers Training and Research in Austria -No. 5, p. 71-A
HUNT, WILLIAM: Nine Competitors to Wood and Plywood ----------No. 2, p. 23-A

I

Impreg for Patterns and Die Models, Application of; A. E. Vallier and Ray M. Seborg -No. 5, p. 305
Iron Stain from Metal Fastenings May Accelerate Decay in Some Woods; R. L. Krause ----------No. 2, p. 103
IRWIN, ALAN: Handling Small Parts in Pallet Boxes Inter- and Intra-Plant Shipping ----------No. 5, p. 202

J

Japan, Wood Preservation in; M. Hattori ----------No. 4, p. 46-A
Japanese Forest Products Laboratory; H. D. Bruce --No. 2, p. 37-A
JONES, BRUCE R.: Screw-Holding Power of Veneered and Laminated Wood Panels -No. 3, p. 119

K

KEATON, CLARK M.: Effect of Operating Variables on Hardboard Values ----------No. 3, p. 146
Kiln Drying Associations and Kiln Drying Clubs in the U. S., History of; Harry Rich ----------No. 3, p. 17-A
Kiln Drying of Western Softwoods, Steam Consumption in the; Virgil C. Davis ----No. 5, p. 258
KING, W. W.: Alleviating Bow and Crook in Southern Yellow Pine Dimension with Chemicals ----------No. 5, p. 271
KITAZAWA, GEORGE: Some Non-Destructive Tests for Wood ----------No. 1, p. 18
KNAUSS, A. C.: Wood Laminating Comes of Age -----No. 2, p. 69
Knifing Technique and Test Method When Used in the Evaluation of Hardboard to Fir Glue Lines; A. L. Lambuth ----------No. 4, p. 169
KOVALCIK, JEROME G.: Wood Products Research at the State University of New York College of Forestry -------No. 3, p. 115
KOZDEMBA, S. E.: Boil Resistance of Blended Urea-Melamine Wood Adhesives ---No. 5, p. 283
KRAUSE, ROBERT L.: Iron Stain from Metal Fastenings May Accelerate Decay in Some Woods ----------No. 2, p. 103
KRUSE, KEITH: Moisture Changes with Different Relative Humidity Conditions in Plant Humidification Equipment -No. 3, p. 148
KUHLMAN, MYRON G.: Semichemical Pulping Process for East Texas Hardwood ---No. 3, p. 136

L

Laboratory Records for Patent Purposes, Keeping; E. D. Farley ----------No. 1, p. 20
LADELL, J. L.: Outlook for High-Temperature Seasoning in Canada ----------No. 5, p. 260
LAMBUTH, ALAN L.: Knifing Technique and Test Method When Used in the Evaluation of Hardboard to Fir Glue Lines ----------No. 4, p. 169
Laminated Truck Bodies; G. A. McSwain ----------No. 4, p. 38-A
Laminating Comes of Age, Wood; A. C. Knauss and M. L. Selbo ----------No. 2, p. 69
Laminating Quality Control, Cyclical Exposure Test as a Tool in; R. F. England ------No. 1, p. 61
LAUGHNAN, DON F.: Natural Wood Finishes for Exteriors of Houses ----------No. 5, p. 343
LEHRBAS, MARK M.: Chip Procurement Possibilities --No. 4, p. 24-A
Liability of Manufacturers in Forest Products Industries for Harm Done by the Product; Edward S. Feldman --------No. 5, p. 315
Liberian Forest Products Industries —Dark Past, Bright Future; E. W. Fobes ------No. 6, p. 31-A
LINDGREN, RALPH M.: Increased Absorptiveness of Molded Douglas-Fir Posts --No. 4, p. 162
LOCKE, EDWARD G.: Chemical Utilization and Forest Management ----------No. 1, p. 10

PROFESSIONAL CARDS

W. H. RAMBO
INDUSTRIAL PLANT ENGINEER
Specialist in
Furniture & Woodworking Plants
Sawmills, Veneer Plants
Paper Mill Wood Rooms
Hard Board Plants & Wood Preserving Plants
Design, Supervision of Construction
Reports & Surveys
Loyalty Bldg. Portland 4, Ore.

You and the Journal of the FPRS ----------No. 4, p. 7-A
Log Grading Improvements; M. D. Ostrander ---------No. 4, p. 171
Logging, A Report on Developments in; L. W. Hooker ----------No. 4, p. 27-A
LUBECK, DONALD G.: Testing of Finishing Materials for Woodwork ----------No. 5, p. 346

"OLIVER" CONVEYORIZED ROUGH MILL

with 3 men can process 24,000 ft. of lumber in 8 hours

...or with 2 men from 6,000 ft. to 12,000 ft. in one day. Stock is accurately sawed to length, one side rough surfaced, other side face-planed to correct dimension



Key to Drawing
1. Cutoff Saw Tables
2. Cutoff Saws
3. Tailboys
4. Refuse Conveyor
5. Infeed Conveyor to Straitoplane
6. Straitoplane

A Few Users:
Baldwin Piano Company
Brunswick-Balke-Collender Co.
Stork Line Furniture Co.
Stow & Davis Furniture Co.
Widdicomb Furniture Co.

"Oliver" automatic Cutoff Saw makes up to 43 cuts a minute. Hydraulic operated. Has wide capacity. Makes cuts without .005 inch variation.



Straitoplane removes warp or wind from stock, rough surfaces one side, face-planes other in one operation. Takes stock to 36" wide, ½" to 6" thick, from 16" up in length. Feed: 20' to 60' or more a minute. Processed stock is straight, flat, uniform.

- Using an "Oliver" conveyorized layout, two men running two Cutoff Saws and one man to tend the Straitoplane can turn out up to 24,000 ft. a day. With one man at a Cutoff Saw, up to 12,000 ft. a day.
- This system is most efficient for processing rough lumber from bunk through surfacer. It gives flat, uniform stock. Cuts manpower, speeds production. Avoids unpiling and repiling on trucks.
- The "Oliver" layout can be changed to meet your special needs. If you produce 4,000 ft. or more a day, get all the facts on this Conveyorized Rough Mill system.

OLIVER MACHINERY COMPANY, GRAND RAPIDS 2, MICHIGAN

Lumber Grades and Sizes in Relation to Product Yields; A. E. Wylie ----------No. 4, p. 176
Lumber Outlook for 1955; Leo V. Bodine ----------No. 6, p. 13-A

M

Machining Research with High Speed Motion Pictures, Wood; Robert J. Hoyle, Jr. and Wilfred A. Cote, Jr. ---No. 5, p. 246
MALLINSON, T. S.: A Briton's Appraisal of the Timber Industry in the U. S. ------No. 6, p. 24-A
MANN, JULIUS W.: Some Fundamentals of High Frequency Gluing ----------No. 6, p. 16-A
Marketing—Case for Decalcomania Transfers in Forest Products; D. F. Rautenbush ---No. 2, p. 32-A
Marketing Hardwood Plywood; R. D. Behm ------No. 2, p. 17-A
Marketing—How to Get a Bigger Bite of the "Consumer Buck;" T. J. Connelly -----No. 2, p. 9-A
Marketing—Masonite's Place in the Competitive Picture; J. J. Allegretti ----------No. 2, p. 27-A
Marketing—Nine Competitors to Wood and Plywood; W. Hunt ----------No. 2, p. 23-A
Marketing—Present and Competitive Items in Hardwood Plywoods; C. Close ---No. 2, p. 31-A
Marketing—Remarks as Moderator of Panel Session on Wood Meets Competition; C. Beiger ----------No. 2, p. 30-A
Marketing—Status of Wood in Radio and TV Industry and Cabinet Field: Competition from Wood Substitutes; A. F. Habig ----------No. 2, p. 22-A
Marketing—What are Forest Products; T. J. Connelly -No. 2, p. 28-A
Marketing—What We Need—More Product Development; P. Creden ----------No. 1, p. 9-A
Marketing—Wide Acceptance of Wood—A Resume; B. Green ----------No. 2, p. 31-A
Marketing—Wood Trends in the Furniture Industry—A Resume; F. Whiting -------No. 2, p. 30-A
Marketing—Wood Versus Substitutes in the Furniture and Cabinet Industry; R. H. Yale ----------No. 2, p. 24-A
Markets to Build Sales, How the Architectural Woodwork Industry has Analyzed; C. A. Rinehimer ---------No. 2, p. 19-A
MATER, MILTON H.: A Report on Developments in Milling During 1953 ----------No. 4, p. 31-A
MATHEWSON, JAMES S.: High-Temperature Drying: Its Applica to the Drying of Lumber ----------No. 5, p. 276
MAYFIELD, P. B.: Exudation of Oil Type Preservatives from Treated Wood -----No. 1, p. 52
MCALISTER, ROBERT H.: Accuracy of an Electric Moisture Detector in Green Wood -No. 6, p. 417
MCCALLA, DAVID: Use of Plastic-Surfaced Composition Board in Home and School Furniture ----------No. 5, p. 207
MCCORMACK, P. H.: Advances in Polyvinyl Acetate Glues for Woodworking -----No. 5, p. 287
MCINTOSH, D. C.: Some Aspects of the Influence of Rays on the Shrinkage of Wood -No. 1, p. 39
MCMAHON, EDWARD P.: Applications of Some Statistical Quality Control Techniques in the Manufacture of Veneers and Plywoods ---------No. 5, p. 373
MCSWAIN, G. A.: Laminated Truck Bodies ----------No. 4, p. 38-A
MIROV, N. T.: Chemical Composition of Gum Turpentines of the U. S. and Canada ----------No. 1, p. 1
Moisture Changes with Different Relative Humidity Conditions in Plant Humidification Equipment; Keith Kruse --No. 3, p. 148
Moisture Detector in Green Wood, Accuracy of an Electric; Robert H. McAlister and Robert L. Myers ---------No. 6, p. 417
Molded Articles from Resin Bonded Granulated Wood, Manufacture of; Joseph Grano, Jr., and Fred H. Williams ----------No. 5, p. 227
Molded Douglas-Fir Posts, Increased Absorptiveness of; R. E. Lindgren and E. Wright ----------No. 4, p. 162
Molder, Machining Tests of Wood with the; Harold Nelson and E. M. Davis ------No. 5, p. 237
MORSCHAUSER, CHARLES R.: Effect of Rays on the Differential Shrinkage of Red Oak ----------No. 5, p. 280
MOTTET, ARTHUR L.: Manufacture of General-Purpose and Decorative Pressed Wood Boards by a Dry Process -----No. 5, p. 224
MULHOLLAND, JACK R.: Changes in Weight and Strength of Sitka Spruce Associated with Decay by a Brown-Rot Fungus, Poria monticola ----No. 6, p. 410
MYERS, ROBERT L.: Accuracy of an Electric Moisture Detector in Green Wood ------No. 6, p. 417

N

NELSON, HAROLD: Machining Tests of Wood with the Molder ----------No. 5, p. 237
Newsprint from Culled Hardwoods; R. C. Sproull ------No. 2, p. 89
North Carolina Wood Products Laboratory; J. S. Bethel ----------No. 2, p. 81

O

OLSON, HAROLD S.: Purchase of Wood by Weight ---No. 1, p. 34
Oregon Forest Products Laboratory; J. B. Grantham -----No. 1, p. 14
OSTRANDER, M. D.: Log Grading Improvements ------No. 4, p. 171

P

Paint Films in Water, Swelling of, II: Absorption and Volumetric Swelling of Bound and Free Films Before and After Weathering; F. L. Browne -No. 6, p. 391
Paint Sealer on Buckling Tendencies of Hardwood Paneling, Effect of; Ernest W. Wellwood ----------No. 6, p. 15-A
Pallet Boxes, Handling Small Parts in Inter- and Intra-Plant Shipping; Alan Irwin --No. 5, p. 202
Paper Overlays When Applied to Lumber, Dimensional Stabilizing Effect of; Bruce G. Heebink ----------No. 3, p. 149
PARRISH, FRANK T.: Let's Help the Wood Industry to Help Itself ----------No. 3, p. 9-A
PEISTER, A. D.: Preservation and Packing of Automotive Vehicles and Components for Export Shipment ------No. 5, p. 204
Pentachlorophenol, Soil Bioassay of a Creosote Containing; L. R. Snoke ----------No. 1, p. 55
PEREM, E.: Determination of the Fiber Saturation Point of Wood by Centrifuging ----No. 2, p. 77
PETTER, JAY C.: Development Work on Wood Planers --No. 5, p. 234
Planers, Development Work on Wood; Jay C. Petter ----------No. 5, p. 234
Plastic-Surfaced Composition Board in Home and School Furniture, Use of; David McCalla ----------No. 5, p. 207
Plywood Industry, Survey of Grades in the Hardwood; John L. Butler ----------No. 5, p. 370
POLETIKA, NICHOLAS V.: Slope of Grain in Engineered Wood ----------No. 6, p. 401
Preservation and Packing of Automotive Vehicles and Components for Export Shipment; A. D. Peister ----------No. 5, p. 204
Preservation: Pressure Treatment of Western Larch Pole Sections with Pentachlorophenol Solutions; Robert D. Graham ----------No. 3, p. 126
Preservation: Tests of Some Superficial Treatments of Exposed Wood Surfaces for their Protection Against Fungus Attack; Theodore C. Scheffer and Frederick L. Browne ----No. 3, p. 131
Preservation: Toxicity of β, β^1–Oxydipropionitrile Soluble and Insoluble Fractions of Creosote and Petroleum Oils to Wood-Destroying Fungi by the Soil-Block Method; R. E. Heiks, S. E. Blum and J. E. Burch ----------No. 3, p. 123
Preservative Tolerance of Wood-Destroying Fungi, Variations in; R. A. Zabel ----No. 4, p. 166
Preservative Treatment of Douglas-Fir Post Sections Infected with Trichoderma Mold; R. D. Graham ----------No. 4. p. 164
Preservatives, Correlating Evaluation Tests of Wood; R. H. Colley ----------No. 1, p. 43
Preservatives in Dip Treatments—A Summary of Progress, Absorption and Penetration of Oil-Soluble Wood; F. L. Brown and R. A. Zabel ----No. 2, p. 101
Preservatives from Treated Wood, Exudation of Oil Type; P. B. Mayfield ----------No. 1, p. 52
Presses, Loading and Unloading of Multiple Opening Hot; R. L. Campbell ---------No. 1, p. 58
PRICE, WILLIAM F.: Translating Quality Control Facts Into Action ----------No. 5., p. 360
Promotion and Research—Successful Marriage; Phil H. W. Creden ----------No. 5, p. 336
Pulping Process for East Texas Hardwood, Semichemical; Myron G. Kuhlman ---No. 3, p. 136
Purchase of Wood by Weight;. H. S. Olson -------No. 1, p. 34

MURCO



75"
Mechanical Feed
Wastewood Chipper

New
Mechanical Feed
Wastewood Chipper

Stop burning dollars..
Start selling chips





MURCO 75" Mechanical Feed Wastewood Chipper installed at Allison Lumber Co., Bellamy, Alabama

Produce quality specification size pulp wood chips from sawmill waste, slabs and edgings with the new MURCO Mechanical Wastewood Chipper. The design of this machine incorporates the performance proved features of standard MURCO Round Wood Chippers plus a newly designed mechanically operated spout for feeding sawmill waste wood into the disc knives at a controlled rate of speed that assures utilization of all the wood yet holds slivers and odd sized chips to minimum.

FOR COMPLETE PROPOSAL, GIVE US THIS INFORMATION:

1. Species of wood to be chipped.
2. Number of cords per hour.
3. Dimensions of largest slab.
4. Will chips be conveyed pneumatically
5. Type of drive desired — Diesel or electric.

Check these design features -

- Mechanical spout feed mechanism speed is synchronized to the speed of the disc to assure uniform chip length.
- A specially designed wood holding device installed after the feed rolls holds the wood against the disc knives reducing slivers to a minimum.
- Spout can be arranged for either horizontal or angle feed at operator's option.
- Drive can be either electric motor or Diesel engine. If the main drive is electric motor, then the feed mechanism is driven by a small reversible electric motor. If Diesel engine operated, then the feed mechanism is driven with reversible power takeoff.
- Chipper can be equipped with chip blower housing for pneumatic chip conveying if desired.

MURCO

D. J. MURRAY MANUFACTURING CO.

MANUFACTURERS SINCE 1883 • WAUSAU • WISCONSIN

Q

Quality Control, Human Angle of; B. E. Sooy ---------No. 5. p. 360
Quality Control Techniques in the Manufacture of Veneers and Plywoods, Application of Some Statistical; Edward P. McMahon ----------No. 5, p. 373
Quality Control, Translating Facts Into Action; William F. Price ----------No. 5, p. 360

R

RAUTENBUSH, D. F.: Case for Decalcomania Tranfers in Forest Products ----------No. 2, p. 32-A
RICH, HARRY: History of Kiln Drying Associations and Kiln Drying Clubs in the U. S. ----------No. 3, p. 17-A
RIDER, S. H.: Boil Resistance of Blended Urea-Melamine Wood Adhesives ---------No. 55, p. 283
RINEHIMER, CHARLES A.: How the Architectural Woodwork Industry has Analyzed Markets to Build Sales ---------No. 2, p. 19-A
ROGERS, MUIR: Wood Can Meet Competition through Better Finishes ----------No. 3, p. 16-A

S

SAUNDERS, D. K.: Development of a Sawmill Layout ---No. 6, p. 22-A
Sawmill Layout, Development of a; D. K. Saunders -----No. 6, p. 22-A
Sawmill Profits, Tree Size and; W. N. Darwin ----No. 2, p. 96
Sawmill Waste Utilization Equipment, Developments in; J. A. Holekamp ----------No. 4, p. 18-A
Sawmill Workers Training and Research in Austria; George M. Hunt ----------No. 5, p. 71-A
Sawmilling During 1953, A Report on Developments in; H. A. Mater ----------No. 4, p. 31-A
Scandinavian Wood Using Industries, Impressions of; I. F. Fogh ----------No. 3, p. 19-A
Scarf Joints, Jig for Aligning; M. L. Selbo ----------No. 4, p. 43-A
SCHEFFER, THEODORE C.: Tests of Some Superficial Treatments of Exposed Wood Surfaces for Their Protection Against Fungus Attack ---------No. 3, p. 131
Seasoning in Canada, Outlook for High-Temperature; J. L. Ladell ----------No. 5, p. 260
Seasoning and Preservative Treatment of Tanoak; R. D. Graham ----------No. 2, p. 92
SEBORG, RAY M.: Application of Impreg for Patterns and Die Models ----------No. 5, p. 305
SELBO, M. L.: Wood Laminating Comes of Age -----No. 2, p. 69
Jig for Aligning Scarf Joints ----------No. 4, p. 43-A
Shrinkage of Wood, Some Aspects of the Influence of Rays on; D. C. McIntosh ----No. 1, p. 39
SIM, IAN P.: Chip Requirements from the Pulp Mills' Standpoint ----------No. 4, p. 22-A
SIMMONS, FRED C.: Status of Research in Utilization of Small Hardwoods ---------No. 6, p. 384
SNOKE, LLOYD R.: Soil-Block Bioassay of a Creosote Containing Pentachlorophenol --No. 1, p. 55
Observations on a Possible Method of Predicting Soil-Block Bioassay Thresholds by Distillation Characteristics of the Weathered Creosotes ----------No. 2, p. 111
SOOY, B. E.: Human Angle of Quality Control ----No. 5, p. 360
Southern Yellow Pine Dimension with Chemicals, Alleviating Bow and Crook in; W. W. King ----------No. 5, p. 271
Specific Gravity Determinations, Rapid; J. F. Heinrichs ----------No. 1, p. 68
SPROULL, REAVIS C.: Newsprint from Culled Hardwoods ----------No. 2, p. 89
Stanford Research Institute Report: America's Demand for Wood —1929–1975 -------No. 5, p. 181
Statistical Approach to Research, Reducing the High Cost of Information by Using the; Ben S. Bryant ---------No. 55, p. 322
STENSRUD, RUSSELL K.: Some Factors Affecting the Glue Bond Quality of Hard-Grained Douglas Fir Plywood ----------No. 4, p. 158
Sticker Stain and Board Color in One-Inch Red Alder Lumber; B. G. Anderson and R. G. Frashour ----------No. 3, p. 133
SYME, JOHN H.: Sealers for Finish Coats on Hardboard-No. 2, p. 84

T

TAMMINGA, S. W.: Economics of High Frequency Gluing ----------No. 4, p. 45-A
TEESDALE, L. V.: Water Repellants Reduce Rain-Caused Paint Blistering on Wood Siding ----------No. 6, p. 388
Tests for Wood, Some Non-Destructive; G. Kitazawa ----------No. 1, p. 18
THORNBER, WILLIAM: Canadian Standard Specifications and the National Building Code ----------No 5, p. 326
Timber Industry in the U. S., A Briton's Appraisal of the; T. S. Mallinson ---------No. 6, p. 24-A
TURNER, H. DALE: Effect of Particle Size and Shape on Strength and Dimensional Stability of Resin-Bonded Wood-Particle Panels ---------- No. 5, p. 210

U

U. S. Forest Products Laboratory; F. J. Champion ----No. 4, p. 153
U. S. Navy Uses of Wood at Puget Sound Naval Shipyard; D. A. Ball ----------No. 2, p. 100
Utilization of Sawmill Residue, Economic Considerations for a Successful; M. Applefield ----------No. 4, p. 11-A
Utilization of Small Hardwoods, Status of Research in; Fred C. Simmons ----------No. 6, p. 384

V

VALLIER, A. E.: Application of Impreg for Patterns and Die Models ----------No. 5, p. 305
Veneer Drying, Shrinkage and the Development of Defects in; H. O. Fleischer ----No. 1, p. 30
Veneered and Laminated Wood Panels, Screw Holding Power of; Bruce R. Jones -No. 3, p. 119
VÖRY, J.: Forest Products Research In Finland ---------No. 6, p. 32-A

W

WARE, JACK L.: Requirements for Good Furniture Packaging ----------No. 5, p. 198
Water Repellants Reduce Rain-Caused Paint Blistering on Wood Siding; L. V. Teesdale ----------No. 6, p. 388
WEHRLE, ARMIN A.: Corrosion Experiences with Humidifier Equipment ---------No. 3, p. 145
WELLWOOD, ERNEST W.: Effect of Paint Sealer on Buckling Tendencies of Hardboard Paneling ----------No. 6, p. 15-A
WHITING, FRANK: Wood Trends in the Furniture Industry—A Resume ----------No. 2, p. 30-A
WILLIAMS, FRED H.: Manufacture of Molded Articles from Resin Bonded Granulated Wood ----------No 5, p. 227
Wood Industry to Help Itself; Let's Help the; F. T. Parrish ----------No. 3, p. 9-A
Wood, Paper, Resin Combinations, What's New in? ---No. 1, p. 22-A
Wood-Particle Panels, Effect of Particle Size and Shape on Strength and Dimensional Stability of Resin-Bonded; H. Dale Turner ----------No. 5, p. 210
Wood Products Research at the State University of New York College of Forestry, Jerome G. Kovalcik ----------No. 3, p. 115
Wood's Future, Our Responsibilities for; C. C. Heritage -No. 6, p. 379
WRIGHT, ERNEST: Increased Absorptiveness of Molded Douglas-Fir Posts -------No. 4, p. 162
WYLIE, AUBREY E.: Lumber Grade; and Sizes in Relation to Product Yields --------No. 4, p. 176

Y

YALE, ROLLIN H.: Wood Versus Substitutes in the Furniture and Cabinet Industry ---No. 2, p. 24-A
YAVORSKY, JOHN M.: Effects of Moisture Content and Machining of Wood on R. F. Gluing Processes ----------No. 1, p. 36

Z

ZABEL, ROBERT A.: Absorption and Penetration of Oil-Soluble Wood Preservatives in Dip Treatments — A Summary of Progress ----------No. 2, p. 101
Variations in Preservative Tolerance of Wood-Destroying Fungi ----------No. 4, p. 166
ZEIGLER, JAMES L.: Gluing Hardboard with Protein Adhesives ----------No. 6, p. 422